

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
26-feb-20	CA7 Buenavista	8.10	21.60	0	<18
	CA9 Aarón Merino	7.90	21.70	0	20
	CA10 Calle 48	7.80	25.00	0	490
	CA11 Calle 36	7.50	26.60	0	78
	CA14 Calle 14	7.80	26.70	0	<18
	CA17 Cenote cocalitos	7.50	25.50	0	<18
	CA23 Xul- Ha	7.10	20.90	0	45
10-mar-20	CA7 Buenavista	NM	NM	NM	NM
	CA9 Aarón Merino	8.50	21.80	0	NM
	CA10 Calle 48	8.40	26.20	0	NM
	CA11 Calle 36	8.40	26.10	0	NM
	CA14 Calle 14	8.50	26.10	0	NM
	CA17 Cenote cocalitos	8.00	24.40	0	NM
	CA23 Xul- Ha	7.80	22.80	0	NM
24-mar-20	CA7 Buenavista	7.70	27.10	NM	<18
	CA9 Aarón Merino	7.90	26.10	NM	20
	CA10 Calle 48	8.00	28.10	NM	230
	CA11 Calle 36	7.50	29.10	NM	1300
	CA14 Calle 14	7.70	27.60	NM	<18
	CA17 Cenote cocalitos	7.10	15.90	NM	230
	CA23 Xul- Ha	7.10	16.70	NM	<18
ABRIL-MAYO 2020 PANDEMIA COVID-19					
08-jun-20	CA7 Buenavista	8.00	29.80	0	NM
	CA9 Aarón Merino	7.90	29.80	100	NM
	CA10 Calle 48	7.80	29.80	100	NM
	CA11 Calle 36	7.40	29.80	100	NM
	CA14 Calle 14	7.70	29.80	67	NM
	CA17 Cenote cocalitos	7.80	29.80	0	NM
	CA23 Xul- Ha	7.60	29.80	0	NM
29-jun-20	CA7 Buenavista	9.20	30.30	0	NM
	CA9 Aarón Merino	9.50	30.60	0	NM
	CA10 Calle 48	9.30	30.40	0	NM
	CA11 Calle 36	8.90	31.00	1900	NM
	CA14 Calle 14	9.00	31.10	0	NM
	CA17 Cenote cocalitos	9.00	30.00	0	NM
	CA23 Xul- Ha	9.20	29.30	34	NM
16-jul-20	CA7 Buenavista	7.50	30.00	0	NM
	CA9 Aarón Merino	7.50	31.10	0	NM
	CA10 Calle 48	7.50	32.50	150	NM
	CA11 Calle 36	7.60	32.40	0	NM
	CA14 Calle 14	7.90	32.40	50	NM
	CA17 Cenote cocalitos	7.50	31.70	0	NM
	CA23 Xul- Ha	7.90	31.70	0	NM
11-ago-20	CA7 Buenavista	7.90	29.70	0	18
	CA9 Aarón Merino	7.90	27.20	0	18

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
11-ago-20	CA10 Calle 48	7.80	28.80	400	330
	CA11 Calle 36	7.50	29.00	0	230
	CA14 Calle 14	7.80	29.70	250	700
	CA17 Cenote cocalitos	7.80	28.00	150	78
	CA23 Xul- Ha	7.70	27.20	100	20
08-sep-20	CA7 Buenavista	7.80	27.40	0	45
	CA9 Aarón Merino	7.80	27.10	0	18
	CA10 Calle 48	7.80	27.20	33.33	230
	CA11 Calle 36	7.70	27.30	33.33	170
	CA14 Calle 14	7.80	27.10	0	68
	CA17 Cenote cocalitos	7.50	27.30	0	45
	CA23 Xul- Ha	7.50	27.00	0	45
06-oct-20	CA7 Buenavista	7.80	29.70	0	20
	CA9 Aarón Merino	8.00	27.20	0	<18
	CA10 Calle 48	8.20	28.80	200	170
	CA11 Calle 36	8.20	29.00	66.66	170
	CA14 Calle 14	8.30	29.70	0	<18
	CA17 Cenote cocalitos	8.00	28.00	0	78
	CA23 Xul- Ha	7.70	27.20	0	20
03-nov-20	CA7 Buenavista	7.50	28.90	33.33	45
	CA9 Aarón Merino	7.80	28.90	0	130
	CA10 Calle 48	7.80	28.90	233.33	230
	CA11 Calle 36	7.80	28.90	200	5400
	CA14 Calle 14	7.50	28.90	33.33	78
	CA17 Cenote cocalitos	7.10	28.90	33.33	490
	CA23 Xul- Ha	7.40	28.90	0	<18
01-dic-20	CA7 Buenavista	8.00	27.40	0	230
	CA9 Aarón Merino	7.90	27.40	0	<18
	CA10 Calle 48	7.80	27.40	66.66	45
	CA11 Calle 36	7.60	27.40	233.33	330
	CA14 Calle 14	7.60	27.40	0	330
	CA17 Cenote cocalitos	7.30	27.40	0	20
	CA23 Xul- Ha	7.50	27.40	0	78
02-feb-21	CA7 Buenavista	7.80	24.50	0	18
	CA9 Aarón Merino	7.70	24.50	0	18
	CA10 Calle 48	7.70	24.50	33.33	18
	CA11 Calle 36	7.40	24.50	0	18
	CA14 Calle 14	7.80	24.50	0	18
	CA17 Cenote cocalitos	6.90	24.50	0	18
	CA23 Xul- Ha	7.20	24.50	0	18
14-feb-21	CA7 Buenavista	NM	NM	0	NM
	CA9 Aarón Merino	NM	NM	0	NM
	CA10 Calle 48	NM	NM	33.33	NM
	CA11 Calle 36	NM	NM	10000	NM
	CA14 Calle 14	NM	NM	1366.67	NM

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
14-feb-21	CA17 Cenote cocalitos	NM	NM	33.33	NM
	CA23 Xul- Ha	NM	NM	33.33	NM
02-mar-21	CA7 Buenavista	8.00	NM	33.33	18
	CA9 Aarón Merino	7.90	NM	0	18
	CA10 Calle 48	7.80	NM	0	18
	CA11 Calle 36	7.70	NM	300	18
	CA14 Calle 14	7.80	27.30	33.33	18
	CA17 Cenote cocalitos	7.60	NM	0	18
	CA23 Xul- Ha	7.10	NM	233.33	18
09-abr-21	CA7 Buenavista	7.90	NM	0	18
	CA9 Aarón Merino	8.00	NM	533.33	1100
	CA10 Calle 48	7.70	NM	100	220
	CA11 Calle 36	7.70	NM	66.67	490
	CA14 Calle 14	7.60	28.50	33.33	78
	CA17 Cenote cocalitos	6.90	NM	0	20
	CA23 Xul- Ha	7.30	NM	0	490
13-may-21	CA7 Buenavista	7.70	NM	0	
	CA9 Aarón Merino	7.90	NM	0	
	CA10 Calle 48	7.90	NM	33.33	
	CA11 Calle 36	7.70	NM	66.67	
	CA14 Calle 14	7.90	31.20	0	
	CA23 Xul- Ha	7.70	NM	66.67	
17-jun-21	CA7 Buenavista	7.60	NM	0	
	CA9 Aarón Merino	7.90	NM	0	
	CA10 Calle 48	7.90	NM	3400	
	CA11 Calle 36	7.60	NM	10000	
	CA14 Calle 14	7.50	29.00	100	
	CA23 Xul- Ha	7.50	NM	133.33	
18-jun-21	CA10 Calle 48	NM	NM	33.33	
	CA11 Calle 36	NM	NM	2033.33	
	CA14 Calle 14	NM	NM	366.67	
06-jul-21	CA7 Buenavista	8.10	20.70	0	
	CA9 Aarón Merino	8.00	20.10	66.67	
	CA10 Calle 48	7.90	19.20	100	
	CA11 Calle 36	7.80	18.80	33.33	
	CA14 Calle 14	7.90	31.80	33.33	
	CA17 Cenote cocalitos	7.70	19.20	0	
	CA23 Xul- Ha	7.00	18.00	33.33	
19-jul-21	CA11 Calle 36	NM	NM	4500	
	CA12 Calle 24	NM	NM	10000	
	CA14 Calle 14	NM	NM	467	
07-sep-21	CA7 Buenavista	7.90	---	0	
	CA9 Aarón Merino	7.90	---	67	
	CA10 Calle 48	7.80	---	0	
	CA11 Calle 36	7.50	---	300	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
07-sep-21	CA12 Calle 24	7.80	---	333.33	
	CA14 Calle 14	7.80	---	33.33	
	CA17 Cenote cocalitos	7.80	---	0	
	CA23 Xul- Ha	7.70	---	0	
19-oct-21	CA7 Buenavista	NM	NM	0	
	CA9 Aarón Merino	NM	NM	0	
	CA10 Calle 48	NM	NM	567	
	CA11 Calle 36	NM	NM	533	
	CA12 Calle 24	NM	NM	2966.67	
	CA14 Calle 14	NM	NM	0	
	CA17 Cenote cocalitos	NM	NM	0	
	CA23 Xul- Ha	NM	NM	0	
21-oct-21	CA10 Calle 48	NM	NM	200	
	CA11 Calle 36	NM	NM	3700	
	CA12 Calle 24	NM	NM	10000	
	CA14 Calle 14	NM	NM	2066.67	
	CA17 Cenote cocalitos	NM	NM	0	
	CA23 Xul- Ha	NM	NM	200	
15 y 16/11/2021	CA1 Pedro Santos	NM	NM	0	
	CA2 Granja	7.70	26.93	0	
	CA3 Arroyo (entrada 1)	NM	NM	0	
	CA4 Conexión (dedo)	NM	NM	0	
	CA5 Laguna Salvaje	NM	NM	0	
	CA6 Manglar somero	NM	NM	0	
	CA7 Buenavista	7.78	27.44	0	
	CA8 Xtomoc	NM	NM	0	
	CA9 Aarón Merino	7.66	27.48	0	
	CA10 Calle 48	7.61	27.62	200	
	CA11 Calle 36	7.68	27.79	0	
	CA12 Calle 24	7.36	27.78	1200	
	CA13 Canal pirata	7.64	27.55	0	
	CA14 Calle 14	7.64	27.68	150	
	CA15 Cenote negro	6.64	28.95	0	
	CA16 Costera sur	7.00	28.49	133	
	CA17 Cenote cocalitos	6.93	28.05	0	
	CA18 Habitas	7.08	27.66	0	
	CA19 Salida Rápidos	7.33	27.71	0	
	CA20 Sac-Ha	6.69	27.89	0	
	CA21 Rest. Sac-Ha	7.33	27.71	0	
	CA22 Bonanza	6.90	28.10	0	
	CA23 Xul- Ha	7.15	28.92	67	
15-dic-21	CA1 Pedro Santos	NM	NM	0	
	CA2 Granja	7.60	27.02	0	
	CA3 Arroyo (entrada 1)	7.55	27.32	100	
	CA4 Conexión (dedo)	7.69	28.34	0	
	CA5 Laguna Salvaje	8.02	27.50	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido						
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)	
15-dic-21	CA6 Manglar somero	NM	NM	0		
	CA7 Buenavista	7.90	27.65	0		
	CA8 Xtomoc	7.92	27.61	0		
	CA9 Aarón Merino	NM	NM	0		
	CA10 Calle 48	7.66	28.38	0		
	CA11 Calle 36	7.61	28.29	0		
	CA12 Calle 24	7.60	28.63	300		
	CA13 Canal pirata	7.70	28.42	0		
	CA14 Calle 14	7.63	28.52	100		
	CA15 Cenote negro	6.78	29.29	0		
	CA16 Costera sur	7.34	28.45	0		
	CA17 Cenote cocalitos	7.13	28.48	0		
	CA18 Habitas	7.26	28.37	0		
	CA19 Salida Rápidos	7.26	28.41	0		
	CA20 Sac-Ha	7.20	24.41	0		
	CA21 Rest. Sac-Ha	NM	NM	0		
	CA22 Bonanza	7.33	28.42	0		
	CA23 Xul- Ha	7.15	28.70	0		
	31-ene-22	CA2 Granja	8.90	24.61		NM
		CA3 Arroyo (entrada 1)	8.40	24.83		NM
		CA4 Conexión (dedo)	8.90	25.99		NM
		CA5 Laguna Salvaje	9.22	25.18		NM
		CA6 Manglar somero	9.22	25.28		NM
CA7 Buenavista		9.12	25.43	0		
CA8 Xtomoc		NM	NM	0		
CA9 Aarón Merino		NM	NM	0		
CA10 Calle 48		NM	NM	0		
CA11 Calle 36		NM	NM	0		
CA12 Calle 24		NM	NM	0		
CA13 Canal pirata		NM	NM	0		
CA14 Calle 14		NM	NM	0		
CA15 Cenote negro		NM	NM	0		
CA16 Costera sur		NM	NM	0		
CA17 Cenote cocalitos		NM	NM	0		
CA18 Habitas		NM	NM	0		
CA19 Salida Rápidos		NM	NM	0		
CA20 Sac-Ha		NM	NM	0		
25-feb-22		CA1 Pedro Santos	7.90	26.50	NM	
	CA2 Granja	7.90	26.30	0		
	CA3 Arroyo (entrada 1)	7.60	26.50	NM		
	CA4 Conexión (dedo)	7.80	27.60	NM		
	CA5 Laguna Salvaje	8.06	26.50	NM		
	CA6 Manglar somero	8.02	26.60	NM		
	CA7 Buenavista	7.96	26.70	0		
	CA8 Xtomoc	7.97	26.70	NM		
	CA9 Aarón Merino	7.92	26.90	0		

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias

NM: Parámetro no medido

Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
25-feb-22	CA10 Calle 48	7.74	27.20	0	
	CA11 Calle 36	7.85	27.30	0	
	CA12 Calle 24	7.82	27.10	0	
	CA13 Canal pirata	7.89	27.04	0	
	CA14 Calle 14	7.88	27.50	0	
	CA15 Cenote negro	6.96	28.30	100	
	CA16 Costera sur	7.66	27.30	1400	
	CA17 Cenote cocalitos	7.36	27.30	0	
	CA18 Habitas	7.60	27.30	0	
	CA19 Salida Rápidos	7.57	28.14	NM	
	CA20 Sac-Ha	7.16	28.30	0	
	CA21 Rest. Sac-Ha	7.60	27.60	NM	
	CA22 Bonanza	7.21	27.93	0	
	CA23 Xul- Ha	7.48	27.64	0	
31-mar-22	CA7 Buenavista	8.16	29.60	0	
	CA9 Aarón Merino	7.87	29.44	0	
	CA10 Calle 48	7.90	29.58	0	
	CA11 Calle 36	7.71	29.46	0	
	CA12 Calle 24	7.77	29.43	0	
	CA14 Calle 14	7.85	29.69	200	
	CA15 Cenote negro	7.02	29.54	0	
	CA16 Costera sur	7.69	29.54	200	
	CA17 Cenote cocalitos	7.68	29.60	0	
	CA22 Bonanza	7.83	29.66	NM	
	CA23 Xul- Ha	7.46	29.63	100	
	CA24 Calle 16	7.84	29.55	0	
	CA25 Calle 6	7.65	29.45	100	
	CA26 Calle 18	7.84	29.55	0	
29-abr-22	CA1 Pedro Santos	8.38	27.76	NM	
	CA2 Granja	NM	27.82	NM	
	CA3 Arroyo (entrada 1)	8.37	27.84	NM	
	CA4 Conexión (dedo)	8.35	28.76	NM	
	CA5 Laguna Salvaje	8.46	28.49	NM	
	CA6 Manglar somero	8.46	28.43	NM	
	CA7 Buenavista	8.45	28.68	0	
	CA8 Xtomoc	8.46	28.38	NM	
	CA9 Aarón Merino	NM	NM	0	
	CA10 Calle 48	8.22	29.12	0	
	CA11 Calle 36	NM	NM	0	
	CA12 Calle 24	NM	NM	1200	
	CA14 Calle 14	NM	NM	400	
	CA15 Cenote negro	NM	NM	0	
CA16 Costera sur	NM	NM	0		
CA17 Cenote cocalitos	NM	NM	0		
CA23 Xul- Ha	NM	NM	0		
CA24 Calle 16	NM	NM	200		

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
29-abr-22	CA25 Calle 6	NM	NM	200	
	CA26 Calle 18	NM	NM	700	
31-may-22	CA10 Calle 48	7.90	30.40	300	
	CA11 Calle 36	7.90	31.30	100	
	CA12 Calle 24	7.10	27.60	200	
	CA14 Calle 14	7.90	30.80	300	
	CA16 Costera sur	7.50	30.00	0	
	CA17 Cenote cocalitos	7.60	31.00	0	
	CA22 Bonanza	7.50	31.10	0	
	CA23 Xul- Ha	7.80	30.90	0	
	CA24 Calle 16	7.80	30.20	100	
	CA25 Calle 6	7.40	30.40	100	
	CA26 Calle 18	7.80	29.60	200	
	16/06/2022	CA10 Calle 48	7.90	31.10	
CA11 Calle 36		7.90	31.60	0	
CA12 Calle 24		7.70	31.50	1300	
CA14 Calle 14		7.80	29.90	100	
CA15 Cenote negro		7.90	31.40	0	
CA16 Costera sur		7.80	31.50	0	
CA23 Xul- Ha		7.80	31.20	0	
CA24 Calle 16		7.50	29.90	0	
07/07/2022	CA26 Calle 18	7.80	30.00	0	
	CA10 Calle 48	8.00	31.70	100	
	CA11 Calle 36	7.90	32.60	0	
	CA12 Calle 24	7.70	32.10	100	
	CA14 Calle 14	7.70	30.90	0	
	CA16 Costera sur	7.50	31.00	0	
	CA17 Cenote cocalitos	7.90	32.00	0	
	CA22 Bonanza	7.50	31.00	0	
	CA23 Xul- Ha	7.50	30.70	0	
	CA24 Calle 16	7.80	31.20	0	
04/08/2022	CA25 Calle 6	7.50	30.30	0	
	CA26 Calle 18	7.90	31.50	0	
	CA10 Calle 48	7.90	31.20	100	
	CA11 Calle 36	7.70	32.10	0	
	CA12 Calle 24	7.50	31.30	400	
	CA14 Calle 14	7.60	31.20	0	
	CA16 Costera sur	7.60	30.90	0	
	CA17 Cenote cocalitos	7.70	31.40	0	
	CA22 Bonanza	7.60	30.90	0	
	CA23 Xul- Ha	7.80	30.60	0	
12/09/2022	CA24 Calle 16	7.90	31.30	0	
	CA25 Calle 6	7.40	30.60	0	
12/09/2022	CA26 Calle 18	7.90	31.50	0	
	CA10 Calle 48	7.70	30.50	3300	
12/09/2022	CA11 Calle 36	7.60	30.80	1100	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
12/09/2022	CA12 Calle 24	7.50	30.60	1200	
	CA14 Calle 14	7.90	29.90	>10000	
	CA16 Costera sur	7.64	30.10	0	
	CA17 Cenote cocalitos	7.60	31.20	600	
	CA22 Bonanza	7.40	30.90	100	
	CA23 Xul- Ha	7.20	30.80	0	
	CA24 Calle 16	7.60	NM	100	
	CA25 Calle 6	7.20	29.50	500	
CA26 Calle 18	7.60	30.30	0		
25/10/2022	CA1 Pedro Santos	7.66	NM	0	
	CA2 Granja	7.71	NM	0	
	CA3 Arroyo (entrada 1)	7.65	NM	0	
	CA4 Conexión (dedo)	7.78	NM	0	
	CA5 Laguna Salvaje	7.79	NM	0	
	CA6 Manglar somero	7.93	NM	0	
	CA7 Buenavista	7.81	NM	0	
	CA8 Xtomoc	7.88	NM	0	
	CA9 Aarón Merino	7.86	NM	0	
	CA10 Calle 48	7.71	NM	0	
	CA11 Calle 36	7.79	NM	100	
	CA12 Calle 24	7.55	NM	0	
	CA13 Canal pirata	7.69	NM	0	
	CA14 Calle 14	7.60	NM	0	
CA18 Habitas	7.45	NM	0		
CA19 Salida Rápidos	7.36	NM	0		
08/11/2022	CA7 Buenavista	NM	NM	0	
	CA9 Aarón Merino	NM	NM	0	
	CA10 Calle 48	7.49	28.18	300	
	CA11 Calle 36	7.34	28.03	200	
	CA12 Calle 24	7.08	28.23	0	
	CA13 Canal pirata	7.72	27.81	0	
	CA14 Calle 14	7.59	28.37	0	
	CA15 Cenote negro	6.63	28.85	0	
	CA16 Costera sur	7.08	28.66	0	
	CA17 Cenote cocalitos	7.36	28.28	0	
	CA22 Bonanza	7.30	29.69	0	
	CA23 Xul- Ha	7.17	29.38	0	
	CA24 Calle 16	7.34	28.26	0	
CA25 Calle 6	7.03	29.46	0		
CA26 Calle 18	7.11	28.50	200		
12-13/12/2022	CA7 Buenavista	7.55	NM	0	
	CA9 Aarón Merino	7.62	NM	0	
	CA10 Calle 48	7.43	26.98	100	
	CA11 Calle 36	7.29	27.53	0	
	CA12 Calle 24	7.19	27.84	0	
	CA14 Calle 14	7.54	28.49	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
12-13/12/2022	CA16 Costera sur	7.17	28.51	0	
	CA17 Cenote cocalitos	7.22	28.94	0	
	CA20 Sac-Ha	7.15	28.58	0	
	CA22 Bonanza	6.96	28.00	0	
	CA23 Xul- Ha	7.12	28.35	0	
	CA24 Calle 16	7.94	28.48	0	
	CA25 Calle 6	7.02	28.43	0	
	CA26 Calle 18	7.89	28.49	0	
31/01/2023	CA10 Calle 48	7.59	NM	0	
	CA11 Calle 36	7.44	NM	100	
	CA12 Calle 24	7.35	NM	300	
	CA14 Calle 14	7.41	NM	1000	
	CA15 Cenote negro	6.75	NM	0	
	CA16 Costera sur	7.04	NM	100	
	CA20 Sac-Ha	7.85	NM	300	
	CA22 Bonanza	7.20	NM	0	
	CA23 Xul- Ha	7.32	NM	0	
	CA24 Calle 16	7.69	NM	0	
	CA25 Calle 6	7.01	NM	0	
	CA26 Calle 18	7.44	NM	0	
17/02/2023	CA10 Calle 48	7.70	26.80	0	
	CA11 Calle 36	7.70	26.50	0	
	CA12 Calle 24	7.30	26.30	100	
	CA14 Calle 14	7.50	26.10	0	
	CA16 Costera sur	7.00	26.40	0	
	CA17 Cenote cocalitos	7.10	26.20	0	
	CA23 Xul- Ha	7.10	27.10	0	
	CA24 Calle 16	7.50	26.20	0	
	CA25 Calle 6	6.90	26.60	0	
	CA26 Calle 18	7.20	26.30	0	
06/03/2023	CA10 Calle 48	7.70	28.35	0	
	CA11 Calle 36	7.72	28.50	0	
	CA12 Calle 24	7.42	30.45	300	
	CA14 Calle 14	4.41	27.81	0	
	CA16 Costera sur	7.17	27.81	0	
	CA20 Sac-Ha	7.54	28.06	0	
	CA22 Bonanza	6.93	28.05	100	
	CA23 Xul- Ha	7.35	28.19	0	
	CA24 Calle 16	7.29	28.13	0	
	CA25 Calle 6	7.10	27.99	0	
03/04/2023	CA10 Calle 48	7.66	28.77	0	
	CA11 Calle 36	7.47	29.11	0	
	CA14 Calle 14	7.38	28.73	0	
	CA16 Costera sur	7.24	28.46	0	
	CA17 Cenote cocalitos	7.36	28.98	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias

NM: Parámetro no medido

Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
03/04/2023	CA20 Sac-Ha	7.40	28.88	300	
	CA22 Bonanza	7.06	28.65	0	
	CA23 Xul- Ha	7.05	28.73	0	
	CA24 Calle 16	7.36	28.92	0	
	CA25 Calle 6	NM	NM	200	
	CA26 Calle 18	7.39	29.01	100	
15/05/2023	CA10 Calle 48	7.90	29.00	100	
	CA11 Calle 36	7.80	29.80	0	
	CA12 Calle 24	7.70	29.60	0	
	CA14 Calle 14	7.70	29.80	0	
	CA16 Costera sur	7.60	29.80	0	
	CA20 Sac-Ha	7.90	30.80	0	
	CA22 Bonanza	7.70	30.50	0	
	CA23 Xul- Ha	7.80	30.40	0	
	CA24 Calle 16	7.70	29.70	0	
	CA25 Calle 6	7.60	29.50	0	
	CA26 Calle 18	7.80	30.00	0	