

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
26-feb-20	CA7	8.1	21.6	0	<18
	CA9	7.9	21.7	0	20
	CA10	7.8	25	0	490
	CA11	7.5	26.6	0	78
	CA14	7.8	26.7	0	<18
	CA17	7.5	25.5	0	<18
	CA23	7.1	20.9	0	45
10-mar-20	CA7	NM	NM	NM	NM
	CA9	8.5	21.8	0	NM
	CA10	8.4	26.2	0	NM
	CA11	8.4	26.1	0	NM
	CA14	8.5	26.1	0	NM
	CA17	8	24.4	0	NM
	CA23	7.8	22.8	0	NM
24-mar-20	CA7	7.7	27.1	NM	<18
	CA9	7.9	26.1	NM	20
	CA10	8	28.1	NM	230
	CA11	7.5	29.1	NM	1300
	CA14	7.7	27.6	NM	<18
	CA17	7.1	15.9	NM	230
	CA23	7.1	16.7	NM	<18
ABRIL-MAYO 2020 PANDEMIA COVID-19					
08-jun-20	CA7	8	29.8	0	NM
	CA9	7.9	29.8	100	NM
	CA10	7.8	29.8	100	NM
	CA11	7.4	29.8	100	NM
	CA14	7.7	29.8	67	NM
	CA17	7.8	29.8	0	NM
	CA23	7.6	29.8	0	NM
29-jun-20	CA7	9.2	30.3	0	NM
	CA9	9.5	30.6	0	NM
	CA10	9.3	30.4	0	NM
	CA11	8.9	31	1900	NM
	CA14	9	31.1	0	NM
	CA17	9	30	0	NM
	CA23	9.2	29.3	34	NM
16-jul-20	CA7	7.5	30	0	NM
	CA9	7.5	31.1	0	NM
	CA10	7.5	32.5	150	NM
	CA11	7.6	32.4	0	NM
	CA14	7.9	32.4	50	NM
	CA17	7.5	31.7	0	NM
	CA23	7.9	31.7	0	NM
11-ago-20	CA7	7.9	29.7	0	18
	CA9	7.9	27.2	0	18
	CA10	7.8	28.8	400	330

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
11-ago-20	CA11	7.5	29	0	230
	CA14	7.8	29.7	250	700
	CA17	7.8	28	150	78
	CA23	7.7	27.2	100	20
08-sep-20	CA7	7.8	27.4	0	45
	CA9	7.8	27.1	0	18
	CA10	7.8	27.2	33.33	230
	CA11	7.7	27.3	33.33	170
	CA14	7.8	27.1	0	68
	CA17	7.5	27.3	0	45
	CA23	7.5	27	0	45
06-oct-20	CA7	7.8	29.7	0	20
	CA9	8	27.2	0	<18
	CA10	8.2	28.8	200	170
	CA11	8.2	29	66.66	170
	CA14	8.3	29.7	0	<18
	CA17	8	28	0	78
	CA23	7.7	27.2	0	20
03-nov-20	CA7	7.5	28.9	33.33	45
	CA9	7.8	28.9	0	130
	CA10	7.8	28.9	233.33	230
	CA11	7.8	28.9	200	5400
	CA14	7.5	28.9	33.33	78
	CA17	7.1	28.9	33.33	490
	CA23	7.4	28.9	0	<18
01-dic-20	CA7	8	27.4	0	230
	CA9	7.9	27.4	0	<18
	CA10	7.8	27.4	66.66	45
	CA11	7.6	27.4	233.33	330
	CA14	7.6	27.4	0	330
	CA17	7.3	27.4	0	20
	CA23	7.5	27.4	0	78
02-feb-21	CA7	7.8	24.5	0	18
	CA9	7.7	24.5	0	18
	CA10	7.7	24.5	33.33	18
	CA11	7.4	24.5	0	18
	CA14	7.8	24.5	0	18
	CA17	6.9	24.5	0	18
	CA23	7.2	24.5	0	18
14-feb-21	CA7	NM	NM	0	NM
	CA9	NM	NM	0	NM
	CA10	NM	NM	33.33	NM
	CA11	NM	NM	10000	NM
	CA14	NM	NM	1366.67	NM
	CA17	NM	NM	33.33	NM
	CA23	NM	NM	33.33	NM

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido							
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)		
02-mar-21	CA7	8	NM	33.33	18		
	CA9	7.9	NM	0	18		
	CA10	7.8	NM	0	18		
	CA11	7.7	NM	300	18		
	CA14	7.8	27.3	33.33	18		
	CA17	7.6	NM	0	18		
	CA23	7.1	NM	233.33	18		
09-abr-21	CA7	7.9	NM	0	18		
	CA9	8	NM	533.33	1100		
	CA10	7.7	NM	100	220		
	CA11	7.7	NM	66.67	490		
	CA14	7.6	28.5	33.33	78		
	CA17	6.9	NM	0	20		
	CA23	7.3	NM	0	490		
13-may-21	CA7	7.7	NM	0			
	CA9	7.9	NM	0			
	CA10	7.9	NM	33.33			
	CA11	7.7	NM	66.67			
	CA14	7.9	31.2	0			
	CA23	7.7	NM	66.67			
17-jun-21	CA7	7.6	NM	0			
	CA9	7.9	NM	0			
	CA10	7.9	NM	3400			
	CA11	7.6	NM	10000			
	CA14	7.5	29	100			
	CA17	7.7	NM	200			
	CA23	7.5	NM	133.33			
18-jun-21	CA10	NM	NM	33.33			
	CA11	NM	NM	2033.33			
	CA14	NM	NM	366.67			
06-jul-21	CA7	8.1	20.7	0			
	CA9	8	20.1	66.67			
	CA10	7.9	19.2	100			
	CA11	7.8	18.8	33.33			
	CA14	7.9	31.8	33.33			
	CA17	7.7	19.2	0			
	CA23	7	18	33.33			
19-jul-21	CA11	NM	NM	4500			
	CA12	NM	NM	10000			
	CA14	NM	NM	467			
07-sep-21	CA7	7.9	---	0			
	CA9	7.9	---	67			
	CA10	7.8	---	0			
	CA11	7.5	---	300			
	CA12	7.8	---	333.33			

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
07-sep-21	CA14	7.8	---	33.33	
	CA17	7.8	---	0	
	CA23	7.7	---	0	
19-oct-21	CA7	NM	NM	0	
	CA9	NM	NM	0	
	CA10	NM	NM	567	
	CA11	NM	NM	533	
	CA12	NM	NM	2966.67	
	CA14	NM	NM	0	
	CA17	NM	NM	0	
	CA23	NM	NM	0	
21-oct-21	CA10	NM	NM	200	
	CA11	NM	NM	3700	
	CA12	NM	NM	10000	
	CA14	NM	NM	2066.67	
	CA17	NM	NM	0	
	CA23	NM	NM	200	
15 y 16/11/2021	CA1	NM	NM	0	
	CA2	7.7	26.93	0	
	CA3	NM	NM	0	
	CA4	NM	NM	0	
	CA5	NM	NM	0	
	CA6	NM	NM	0	
	CA7	7.78	27.44	0	
	CA8	NM	NM	0	
	CA9	7.66	27.48	0	
	CA10	7.61	27.62	200	
	CA11	7.68	27.79	0	
	CA12	7.36	27.78	1200	
	CA13	7.64	27.55	0	
	CA14	7.64	27.68	150	
	CA15	6.64	28.95	0	
	CA16	7	28.49	133	
	CA17	6.93	28.05	0	
	CA18	7.08	27.66	0	
	CA19	7.33	27.71	0	
	CA20	6.69	27.89	0	
	CA21	7.33	27.71	0	
	CA22	6.9	28.1	0	
	CA23	7.15	28.92	67	
15-dic-21	CA1	NM	NM	0	
	CA2	7.6	27.02	0	
	CA3	7.55	27.32	100	
	CA4	7.69	28.34	0	
	CA5	8.02	27.5	0	
	CA6	NM	NM	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
15-dic-21	CA7	7.9	27.65	0	
	CA8	7.92	27.61	0	
	CA9	NM	NM	0	
15-dic-21	CA10	7.66	28.38	0	
	CA11	7.61	28.29	0	
	CA12	7.6	28.63	300	
	CA13	7.7	28.42	0	
	CA14	7.63	28.52	100	
	CA15	6.78	29.29	0	
	CA16	7.34	28.45	0	
	CA17	7.13	28.48	0	
	CA18	7.26	28.37	0	
	CA19	7.26	28.41	0	
	CA20	7.2	24.41	0	
	CA21	NM	NM	0	
	CA22	7.33	28.42	0	
	CA23	7.15	28.7	0	
31-ene-22	CA2	8.9	24.61	NM	
	CA3	8.4	24.83	NM	
	CA4	8.9	25.99	NM	
	CA5	9.22	25.18	NM	
	CA6	9.22	25.28	NM	
	CA7	9.12	25.43	0	
	CA9	NM	NM	0	
	CA10	NM	NM	0	
	CA11	NM	NM	0	
	CA12	NM	NM	0	
	CA13	NM	NM	0	
	CA14	NM	NM	0	
	CA15	NM	NM	0	
	CA16	NM	NM	0	
CA17	NM	NM	0		
CA18	NM	NM	0		
CA20	NM	NM	0		
CA22	NM	NM	0		
CA23	NM	NM	0		
25-feb-22	CA1	7.9	26.5	NM	
	CA2	7.9	26.3	0	
	CA3	7.6	26.5	NM	
	CA4	7.8	27.6	NM	
	CA5	8.06	26.5	NM	
	CA6	8.02	26.6	NM	
	CA7	7.96	26.7	0	
	CA8	7.97	26.7	NM	
	CA9	7.92	26.9	0	
	CA10	7.74	27.2	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
25-feb-22	CA11	7.85	27.3	0	
	CA12	7.82	27.1	0	
	CA13	7.89	27.04	0	
	CA14	7.88	27.5	0	
	CA15	6.96	28.3	100	
	CA16	7.66	27.3	1400	
	CA17	7.36	27.3	0	
	CA18	7.6	27.3	0	
	CA19	7.57	28.14	NM	
	CA20	7.16	28.3	0	
	CA21	7.6	27.6	NM	
	CA22	7.21	27.93	0	
	CA23	7.48	27.64	0	
31-mar-22	CA7	8.16	29.6	0	
	CA9	7.87	29.44	0	
	CA10	7.9	29.58	0	
	CA11	7.71	29.46	0	
	CA12	7.77	29.43	0	
	CA14	7.85	29.69	200	
	CA15	7.02	29.54	0	
	CA16	7.69	29.54	200	
	CA17	7.68	29.6	0	
	CA22	7.83	29.66	NM	
	CA23	7.46	29.63	100	
	CA24	7.84	29.55	0	
	CA25	7.65	29.45	100	
CA26	7.84	29.55	0		
29-abr-22	CA1	8.38	27.76	NM	
	CA2	NM	27.82	NM	
	CA3	8.37	27.84	NM	
	CA4	8.35	28.76	NM	
	CA5	8.46	28.49	NM	
	CA6	8.46	28.43	NM	
	CA7	8.45	28.68	0	
	CA8	8.46	28.38	NM	
	CA9	NM	NM	0	
	CA10	8.22	29.12	0	
	CA11	NM	NM	0	
	CA12	NM	NM	1200	
	CA14	NM	NM	400	
	CA15	NM	NM	0	
	CA16	NM	NM	0	
	CA17	NM	NM	0	
	CA23	NM	NM	0	
CA24	NM	NM	200		
CA25	NM	NM	200		

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
29-abr-22	CA26	NM	NM	700	
31-may-22	CA10	7.9	30.4	300	
	CA11	7.9	31.3	100	
	CA12	7.1	27.6	200	
	CA14	7.9	30.8	300	
	CA16	7.5	30	0	
	CA17	7.6	31	0	
	CA22	7.5	31.1	0	
	CA23	7.8	30.9	0	
	CA24	7.8	30.2	100	
	CA25	7.4	30.4	100	
	CA26	7.8	29.6	200	
16/06/2022	CA10	7.9	31.1	0	
	CA11	7.9	31.6	0	
	CA12	7.7	31.5	1300	
	CA14	7.8	29.9	100	
	CA15	7.9	31.4	0	
	CA16	7.8	31.5	0	
	CA23	7.8	31.2	0	
	CA24	7.5	29.9	0	
07/07/2022	CA10	8	31.7	100	
	CA11	7.9	32.6	0	
	CA12	7.7	32.1	100	
	CA14	7.7	30.9	0	
	CA16	7.5	31	0	
	CA17	7.9	32	0	
	CA22	7.5	31	0	
	CA23	7.5	30.7	0	
	CA24	7.8	31.2	0	
	CA25	7.5	30.3	0	
CA26	7.9	31.5	0		
04/08/2022	CA10	7.9	31.2	100	
	CA11	7.7	32.1	0	
	CA12	7.5	31.3	400	
	CA14	7.6	31.2	0	
	CA16	7.6	30.9	0	
	CA17	7.7	31.4	0	
	CA22	7.6	30.9	0	
	CA23	7.8	30.6	0	
	CA24	7.9	31.3	0	
	CA25	7.4	30.6	0	
CA26	7.9	31.5	0		
12/09/2022	CA10	7.7	30.5	3300	
	CA11	7.6	30.8	1100	
	CA12	7.5	30.6	1200	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



AGUA CLARA
CIUDADANOS POR BACALAR A.C.

UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
12/09/2022	CA14	7.9	29.9	>10000	
	CA16	7.64	30.1	0	
	CA17	7.6	31.2	600	
	CA22	7.4	30.9	100	
	CA23	7.2	30.8	0	
	CA24	7.6	NM	100	
	CA25	7.2	29.5	500	
	CA26	7.6	30.3	0	
25/10/2022	CA1	7.66	NM	0	
	CA2	7.71	NM	0	
	CA3	7.65	NM	0	
	CA4	7.78	NM	0	
	CA5	7.79	NM	0	
	CA6	7.93	NM	0	
	CA7	7.81	NM	0	
	CA8	7.88	NM	0	
	CA9	7.86	NM	0	
	CA10	7.71	NM	0	
	CA11	7.79	NM	100	
	CA12	7.55	NM	0	
	CA13	7.69	NM	0	
	CA14	7.6	NM	0	
	CA18	7.45	NM	0	
CA19	7.36	NM	0		
08/11/2022	CA7	NM	NM	0	
	CA9	NM	NM	0	
	CA10	7.49	28.18	300	
	CA11	7.34	28.03	200	
	CA12	7.08	28.23	0	
	CA13	7.72	27.81	0	
	CA14	7.59	28.37	0	
	CA15	6.63	28.85	0	
	CA16	7.08	28.66	0	
	CA17	7.36	28.28	0	
	CA22	7.3	29.69	0	
	CA23	7.17	29.38	0	
	CA24	7.34	28.26	0	
CA25	7.03	29.46	0		
CA26	7.11	28.5	200		
12-13/12/2022	CA7	7.55	NM	0	
	CA9	7.62	NM	0	
	CA10	7.43	26.98	100	
	CA11	7.29	27.53	0	
	CA12	7.19	27.84	0	
	CA14	7.54	28.49	0	
	CA16	7.17	28.51	0	

MONITOREO CALIDAD DE AGUA LAGUNA BACALAR



UFC: Unidades formadoras de colonias NM: Parámetro no medido					
Fecha	Clave sitio	pH	Temp. (°C)	E. coli (UFC)	E. coli (NMP/100mL)
12-13/12/2022	CA17	7.22	28.94	0	
	CA20	7.15	28.58	0	
	CA22	6.96	28	0	
	CA23	7.12	28.35	0	
	CA24	7.94	28.48	0	
	CA25	7.02	28.43	0	
	CA26	7.89	28.49	0	
31/01/2023	CA10	7.59	NM	0	
	CA11	7.44	NM	100	
	CA12	7.35	NM	300	
	CA14	7.41	NM	1000	
	CA15	6.75	NM	0	
	CA16	7.04	NM	100	
	CA20	7.85	NM	300	
	CA22	7.2	NM	0	
	CA23	7.32	NM	0	
	CA24	7.69	NM	0	
	CA25	7.01	NM	0	
	CA26	7.44	NM	0	
17/02/2023	CA10	7.7	26.8	0	
	CA11	7.7	26.5	0	
	CA12	7.3	26.3	100	
	CA14	7.5	26.1	0	
	CA16	7.0	26.4	0	
	CA17	7.1	26.2	0	
	CA23	7.1	27.1	0	
	CA24	7.5	26.2	0	
	CA25	6.9	26.6	0	
	CA26	7.2	26.3	0	